Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

POLIOMYELITIS IN THE UNITED STATES.[1]

Cases and Deaths Reported During the Year 1910.

State.	Jan.		Feb.		Mar.		Apr.		May.		June.		July.		Aug.		Sept.		Oct.		Nov.		Dec.		Total.		Remarks.
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
Alabama																											No reports.
Arizona																											Do.
Arkansas																											Do.
California																	13	2	9	3	11	4			33	9	December report not yet received.
Colorado																	4		1	1					5	1	Reports not complete.
Connecticut												1	18	2	36	9	71	10	31	7	10	2	2	1	168	32	
Delaware													2	1											2	1	Do.
District of Columbia													7		93	11	20	2	18	1	1	1			139	15	
Florida																	4		1				1		6		
Georgia																											No reports.
Hawaii (Honolulu)																									42	1	From second week in September to Dec. 15, 1910, there were 42 cases, 1 death.
Idaho							1	1	1		5	1	44	4											96	6	96 cases reported during year.
Illinois															15	5	23	2	33	18	52	10	14	7	137	42	
Indiana																			77	11	56	14		4	133	29	
Iowa	3	3	1	1	4	2	7	2	25	2	20	2	54	7	156	44	198	39	116	32	43	18	11	9	638	161	
Kansas													57	15											189	47	Up to Nov. 20, 1910, 189 cases and 47 deaths.
Kentucky																											Present—no reports.
Louisiana																											No reports.
Maine																											Present.
Maryland													1	4	9	10	11	3	7	6	5	3			35	28	2 deaths were reported during the first 6 months of the year—statistics incomplete.
Massachusetts	8		1		2		3		8					3	[2]118		[2]114		[2]75		54		21		588		June and July, 1910, 184 cases reported; deaths not given.
Michigan															7	2	10	4	10	2	9	1	7	5	43	14	
Minnesota															89	13	77	16	55	3	6	1			227	69	Reports for year not complete. January to June, 1910, 36 deaths.
Mississippi																											No reports.
Missouri																											Do.
Montana																										6	Estimated cases 40.
Nebraska																											No reports.
Nevada																											9 cases with 1 death during the years 1909 and 1910.

New Hampshire													5	2											5	2	
New Jersey																									75		75 cases during the year from 55 localities.
New Mexico																											No reports.
New York									1		1		10		28	12	97	16	43	21	33	9	4	2	217	60	
North Carolina																											No reports.
North Dakota													11		29	1	38	1	11	1	10	2	1		100	5	
Ohio																			24		28				52		Reports not complete.
Oklahoma																									5	4	January to August, 1910, 5 cases, 4 deaths.
Oregon											2	2	18	5		1		1	5		9	11	2	1	36	21	
Pennsylvania													152		275	58	378	64	197	50	95	22	15		1,097	172	Reports for year not complete.
Rhode Island					1				4		5		46		70		65		9		4		2		231		During the year a total of 231 cases were reported.
South Carolina																									85	10	Cases reported between May 21 and Oct. 15.
South Dakota															15	1	25	11	31	3	10	2	5		86	17	
Tennessee																											No cases reported.
Texas																											Do.
Utah																					2	1			2	1	
Vermont																									13	2	13 cases, 2 deaths, to Oct. 1; no cases during balance of year.
Virginia															[3] 30		[3] 18				19	1	12	1	357	2	Jan. 1 to Oct. 12, 1910, 326 cases were reported.
Washington	1								7		24	1	40	1	103	15			51	17	20	9	8	6	254	49	
West Virginia																											No reports.
Wisconsin																									22	27	Estimated there were 500 cases.
Wyoming																											No reports.
Total	12	3	2	1	7	2	11	3	46	2	57	7	465	44	1,073	182	1,146	171	804	176	477	111	105	36	5,093	825	

[1] See Public Health Reports, Sept. 30, 1910, p. 1347, and Oct. 28, 1910, p. 1517. [2] Approximate. [3] This is the minimum number.